GARDEN HOSE GATALOGUE.

BOSTON BELTING CO.,

MANUFACTURERS.

256-258-260 Devonshire St., Boston.

100 & 102 Reade St., New York.





COTTON AND RUBBER

GARDEN HOSE

CATALOGUE.

BOSTON BELTING Co.,

MANUFACTURERS.

Copyrighted 1896, by James Bennett Forsyth.

Boston Belting Co.

Established 1828.

ORIGINAL MANUFACTURERS OF

RUBBER BELTING, HOSE, PACKING

AND EVERY DESCRIPTION OF

VULCANIZED RUBBER GOODS

For all Manufacturing and Mechanical Purposes.

Boston Store, 256-258-260 Devonshire St. 100 & 102 Reade Street.

New York Store.

FACTORIES, BOSTON, MASS.

JAMES BENNETT FORSYTH. Manufacturing Agent and General Manager.

INDEX.

Couplings, Climax	. 9
" Common	. 8
Hose, Cotton	. 7
" Rubber	5, 6
Menders, Hudson ·	. 12
Nozzles, Gem	. 11
"Fairy	. 11
PIPES, Hose, Plain	. 10
" Cock on Large End	. 10
PLYERS, Caldwell	
" Hudson	
REELS, Excelsior	. 15
" Imperial	. 15
SPRINKLERS, Lawn, Dew Drop	
" Deluge	
" Four-Arm	
" Rose	. 10
STRAPS, Caldwell	. 8



PRINTED AND BOUND BY
WILLISTON H. COLLINS & CO.,
BOSTON AND NEW BEDFORD,
MASS:

RUBBER HOSE.



Great improvements have been made in the manufacture of our Vulcanized Rubber Hose, so as to secure strength, firmness and flexibility, which warrant us in asserting it to be superior to any Hose on the market, and the immense and increasing sales of our well-known brands of Rubber Hose testify that a first-class article is appreciated.

The sizes indicated in the list are the inner diameters, and each size will fully measure what it is marked.

We are prepared to furnish Hose in either twenty-five or fifty foot sections,

All full sections of Hose and Special Hose made to order have the Company's name stamped into the Rubber, and are stenciled and labeled, unless otherwise ordered.

If you desire to obtain the best, insist on having the Boston Belting Co.'s Hose.

HYDRANT HOSE, 3-Ply.

This Hose is of medium strength, and is intended for Hydrant, Garden and Force Pump uses, where the pressure does not exceed 75 lbs. per square inch.

ENGINE HOSE, 4-Ply.

This Hose is made to stand a pressure of from 100 to 200 lbs. per square inch, and is recommended for all general uses where a good, strong, reliable Hose is required.

WATER HOSE LIST.

Internal Diameter.

Inch	2-Ply.	3-Ply.	4-Ply.	5-Ply.	6-Ply.
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} $	\$0.20 .25 .33 .42 .50 BSOH .75 66 H.75 90 1.15 1.32 1.65 1.98 2.31 2.64 2.97 3.33	\$0.25 .30 .40 .50 .60 .60 .70 .80 .90 .90 1.10 1.20 1.40 1.60	\$0.30 .37 .50 .50 .62 .75 .87 1.00 1.12 1.25 1.37 1.37 2.00	\$0.37 \$46 .62 .62 .77 .93 1.08 1.25 1.40 1.56 1.71 1.87 2.18 2.50	\$\\ \\$0.45 \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

All intermediate sizes to be charged at the list price of the next larger size, thus: \(\frac{7}{8}\)-inch will be charged at one-inch price, etc.

COTTON GARDEN HOSE.



RUBBER LINED.

We would respectfully invite attention to our Seamless Cotton Rubber-Lined Garden Hose, which is made of the best quality of Long Fibre Cotton, and the best quality of Rubber Lining.


Each section of Cotton Garden Hose of our manufacture has a red and green line, interwoven throughout the entire length of the fabric. This line is our designating or trade mark.

After use, care should be taken to thoroughly dry the Fabric by exposing same to the air and sun.

1/2-	inch,	per foot,			\$0.20
3	6.6	6.6			.,30
1	66	66			.40

All our Rubber-Lined Fabric Hose is lined under James Bennett Forsyth's patents.

COMMON HOSE COUPLING.




Per dozen, 1-inch and 3-inch \$2.40

CALDWELL'S PATENT HOSE STRAP.



No			nch.	32 33	inch	long	}	\$0.40	per	doz:
	6.	10 8 4 8 4	"	41 41	4.	46	}	.60	6.6	44-
46	10. 12.	1	44	5 <u>-</u> 5g	44	44	}	.80	166	4.6
	16.	14 14	44	6 - 6홍	46	44	}-	1.00	44	44
66	18. 20.	14	66	63 71	+ 4	• 6	}	1.20	6.6	44
66	22 24.	14 14		7½ 8	6.		}	1.40	4.6	66
66	26. 28. 30.	2 2 2 1	"	8½ 9	44	4.6	}	1.60	44	"
6.6	30. 32. 34.	24 24 24		94 10 104	44	44 44	1	1.80	6.6	6.6
	36.	21		11		66	}	2.00	4.6	6.6

CALDWELL PLYERS.



No. 1, size,	1 in.	to 1 i	n., i	nclus	ive,		
each,							\$0.50
No. 2, size,							
each,	•					-	:75

THE CLIMAX COUPLING.



The heaviest Coupling for Garden Hose on the market. Being strongly attached to the Hose by a patented machine, it will be found much more durable and satisfactory than the ordinary Coupling, which is fastened on with Wire Bands.

HOSE PIPES.

Screw Tip.



 SIZE,
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .</td

HOSE PIPES.

Screw Tip. Cock on Large End.



ROSE SPRINKLERS.



FACE, . . $1\frac{1}{2}$ IN. 2 IN. $2\frac{1}{2}$ IN. 3 IN. Per dozen, . \$3.50 \$4.50 \$6.00 \$9.00

THE GEM NOZZLE.





Price, per dozen, \$6.00

THE FAIRY NOZZLE.



HUDSON HOSE MENDER.



The simplest, strongest and best Hose Mender yet designed. Neatly put up in boxes containing 1 Pair Plyers, 20 Bands and 6 Thimbles for either ½-inch or ¾-inch Hose.

Per box, . . . \$1.00

Parts Sold Separately.

		$\frac{1}{2}$ -IN.	$\frac{3}{4}$ -IN.
Menders, per dozen,		\$0.40	\$0.50
Bands, per dozen,		.40	.60
Plyers, per pair, .			.50

DEW DROP LAWN SPRINKLER.


Brass Body, Dipped in Nickel.



Can be regulated to throw a coarse or fine spray.

No back pressure.

DELUGE LAWN SPRINKLER.




This sprinkler is so constructed that the water revolves inside and is expelled with a spiral motion.

It has no parts to get out of order, is very durable, and is one of the simplest and best low priced sprinklers on the market.

FOUR-ARM LAWN SPRINKLER.

The arms of the sprinkler are caused to revolve by the action of the water, and a space of thirty to fifty feet in diameter can be wet with a fine spray, according to the pressure of water obtained. A very useful article for watering Lawns and Gardens.

The different parts are nicely Painted and Nickel Plated.





THE EXCELSIOR

(Trade Mark)

HOSE REEL.

Will hold 100 feet 3-in. Hose.




THE IMPERIAL

(Trade Mark)

HOSE REEL.

Will hold 150 feet 3-in. Hose.







Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of: Mike Jackson, FAIA